



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

gfr

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/994,523	11/26/2001	Tai-Cheng Yu		8526
25859	7590	09/09/2004		
WEI TE CHUNG FOXCONN INTERNATIONAL, INC. 1650 MEMOREX DRIVE SANTA CLARA, CA 95050			EXAMINER VALENTIN, JUAN D	
			ART UNIT 2877	PAPER NUMBER

DATE MAILED: 09/09/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/994,523

Applicant(s)

YU ET AL.

Examiner

Juan D Valentin II

Art Unit

2877

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 June 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 and 15-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13 and 16-18 is/are rejected.
- 7) ☒ Claim(s) 15 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
 - 2) ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Rejection & Response to Arguments

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

1. Claim 18 rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Applicant added the limitation “the signals said detecting means receives from the input port, are reflected from the first port **without involvement of any splitters**”. A thorough reading of the specification as originally filed would leave no evidence for one of ordinary skill in the art to conclude that filter 10 is a specific type of filter, i.e. geared to filter out light of specific wavelengths as argued by Applicant. Filter 10 function as a beam splitter, filter 10 merely reflects (splits) a fraction of the light intensity signal (see [0011-0012] originally filed specification) back to a photodiode 6. The Examiner understands that there are differences between filters and beam splitters as pointed out by Applicant on page 12, first paragraph in the Remarks section dated 06/17/2004. Filter 10 may very well be capable of performing further functions than those disclosed within the specification, but for what is disclosed within the

Art Unit: 2877

specification and the “broadest” interpretation of the words, it is the position of the Office that the intended use of filter 10 as disclosed within the specification indeed is only to split a portion of the incoming beam and send that portion of the light intensity (not separate wavelengths) signal back to photodiode 6, therefore acting as a functional equivalent to the beam splitter as disclosed by Mao et al. (6,149,278). Therefore, the new matter added dealing with not using beam splitters to separate the incoming light signal must be canceled from the claims.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claim 18 rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The limitation reading “the signals said detecting means receives from the input port, are reflected from the first port **without involvement of any splitters**” will not be given patentable weight. The claim recitation does not establish any structure as to how exactly the signal is reflected from the first port to the detecting means? The negative limitation does not make up for or give the claim the essential structure lacking.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 2877

3. Claims 1, 5, 13, 17, & 19 rejected under 35 U.S.C. 102(b) as being fully anticipated by Mao et al. (USPN '278, hereinafter Mao).

Claim 1

Mao discloses in conjunction with Fig. 1, an optical attenuator 100 for attenuating signals in an optical path, comprising an input port for receiving input signals from an input fiber 110 along the optical path, an output port for splitting the attenuated signals into two portions, and for transmitting one portion of the attenuated signals to an output fiber 165, also along the optical path, and for transmitting a second portion of the attenuated signals to a detecting means 130, a movable reflector (140) for receiving first signals output by the input port and reflecting a portion of said first signals into the output port, the detecting means 130 being positioned to receive said second portion of the attenuated signals from the output port, and a driving device (i.e. stepper motor) for driving the movable reflector in response to control signals from the detecting means (col. 2, line 40-col. 3, line 27). Applicant is particularly pointed to col. 2, lines 56-64, which give support for an output port for splitting the attenuated signals into two portions.

While the Applicants argument that the claimed invention is simpler in structure may be valid, Mao still reads on ALL the claimed limitations as currently drafted. Applicant is reminded that the claim merely states, "An optical attenuator...comprising" and not consisting of, even though there are differences, Mao reads on the claimed limitations.

Claim 5

Mao as applied above further discloses wherein the output port comprises a second collimator (Fig. 1, ref. 150).

Claim 13

Mao in conjunction with Fig. 1, discloses an optical attenuator 100 for attenuating signals in an optical path, comprising an input port connected to an input fiber 110, the input fiber 110 being a component of the optical path, the input port being for receiving an input signals from the input fiber 110, an output port connected to an output fiber 165, the output fiber 165 also being a component of the optical path, the output port being for transmitting an output signal to the output fiber 165, a movable reflector (140) forming an optical connection between the input port and the output port, a detecting means 130 optically connected to the input port and to the output port and comprising components for detecting the intensity of optical signals from the input and output ports, circuitry for comparing the input signal to the output signal, and control circuitry, and a driving device (i.e. stepper motor) electrically connected to the control circuitry of said detecting means and mechanically engaged with the at least one movable reflectors, whereby the input port transmits a fraction of the input signal (3-5%), as a first control signal, to the detecting means and transmits the remainder of the input signal, as a first signal, to the at least one movable reflectors, the at least one movable reflectors direct the first signal toward the output port as a second signal, and some fraction of the second signal, determined by the relative spatial and angular geometry of the at least one movable reflectors, is received by the output port as a received signal, and the output port transmits one portion of the received signal as the output signal and transmits the remaining portion of the received signal as a second control signal, to the detecting means, the detecting means measures the intensities of the first and second control signals, makes a comparison of the intensities, and as a result causes its control circuitry to issue driving control signals to the driving device, which actuates the at least one movable reflectors to

Art Unit: 2877

rotate, changing the intensity of the received signal at the output port (col. 2, line 40-col. 3, line 27). Applicant is particularly pointed to col. 2, lines 56-64, which give support for an output port for splitting the attenuated signals into two portions.

It is inherent that the stepper motor used to rotate the mirrors (140 & 145) of Mao are electrically connected to control circuitry of the light monitoring means 130, in order for there to be “feedback...provided to the motor...that rotates mirrors 140 and 145 to the control rotation angles....to provide an approximately constant output intensity for signals that do not provide constant intensity...” (col. 3, lines 10-16) as taught by Mao. Further, it is inherent that in order for the light monitors to judge the constant intensities at both the input and output ports, the intensities at both ports must be obtained, and then used to adjust the movable reflectors by a mechanically driven driving device i.e. stepper motors as taught be Mao.

While the Applicants argument that the claimed invention is simpler in structure may be valid, Mao still reads on ALL the claimed limitations as currently drafted. Applicant is reminded that the claim merely states, “An optical attenuator...comprising” and not consisting of, even though there are differences, Mao reads on the claimed limitations.

Claim 17

Mao as applied above discloses wherein the output port comprises a second collimator and a splitter (col. 3, lines 56-64).

Claim 18

Mao discloses in conjunction with Fig. 1, an optical attenuator 100 comprising an input port receiving input signals form an input fiber 110, an output port transmitting output signals to an output fiber 165, a transmission device (140 & 145) positioned in a light path transmitted

Art Unit: 2877

between the input and the output port, said transmission device adjustably attenuating port transmitted signals moving along said light path, a driving device (stepper motor) moving said transmission device for attenuation adjustment, and detecting means 130 receiving signals from the input port and those from the output port to define an attenuation ratio thereof for determining actuation of the driving device (col. 2, line 40-col. 3, line 27). Applicant is particularly pointed to col. 2, lines 56-64, which give support for an output port for splitting the attenuated signals into two portions.

The light monitoring means 130 are used to obtain intensities at both the input and output ports, this can be seen in (col. 3, lines 10-16) where Mao discloses “feedback...provided to the motor...that rotates mirrors 140 and 145 to the control rotation angles....to provide an approximately constant output intensity for signals that do not provide constant intensity...”, Mao is silent as to how exactly how those intensities are used in conjunction with each other to perform the attenuation corrections within the system. It is inherent that a ratio of the obtained input and output intensity signals must be used in order to determine whether a constant intensity is being provided through the system. Mao discloses an attenuator wherein the first port includes a first collimator 120 facing to said transmission device, and the second port includes a second collimator 150, different from the first collimator, facing to said transmission device (Fig. 1). Mao discloses wherein the signals said detecting means receives from the input port, are reflected from the first port, while the signal said detecting means receives from the output port, are directly derived from one outgoing port of a splitter of said output port, the output fiber being connected to the other outgoing port of said splitter (col. 2, line 40-col. 3, line 27). Applicant is

particularly pointed to col. 2, lines 56-64, which give support for an output port for splitting the attenuated signals into two portions.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 2-4, 6-12, & 16 rejected under 35 U.S.C. 103(a) as being unpatentable over Mao.

Claims 2, 8, & 16

Mao as applied above discloses wherein the input port comprises a first collimator 120 and a filter 125 (Fig. 1). Mao discloses the claimed invention except for a filter. It would have been obvious to one having ordinary skill in the art at the time the invention was made to use a filter as opposed to a beam splitter since the Examiner takes Official notice of the equivalence of a filter and a beam splitter for their use to re-route a percentage of incoming light in the field of optical communications; the selection of any of these known equivalents to a filter would be within the level of ordinary skill in the art. Further, Mao discloses directing a “small percentage” (col. 2, lines 47-49) of the optical signal to the light monitoring means by way of beam splitter 125. Therefore, to a person of ordinary skill in the art, it is obvious that the beam splitter of Mao is performing a filtering operation.

A thorough reading of the specification as originally filed would leave no evidence for one of ordinary skill in the art to conclude that filter 10 is a specific type of filter, i.e. geared to

Art Unit: 2877

filter out light of specific wavelengths as argued by Applicant. Filter 10 function as a beam splitter, filter 10 merely reflects (splits) a fraction of the light intensity signal (see [0011-0012] originally filed specification) back to a photodiode 6. The Examiner understands that there are differences between filters and beam splitters as pointed out by Applicant on page 12, first paragraph in the Remarks section dated 06/17/2004. Filter 10 may very well be capable of performing further functions than those disclosed within the specification, but for what is disclosed within the specification and the “broadest” interpretation of the words, it is the position of the Office that the intended use of filter 10 as disclosed within the specification indeed is only to split a portion of the incoming beam and send that portion of the light intensity (not separate wavelengths) signal back to photodiode 6, therefore acting as a functional equivalent to the beam splitter as disclosed by Mao et al. (6,149,278).

Claim 3

It is the position of the Office that even though the reference of Mao does not specifically disclose wherein the filter has a 0.5% reflective ratio, it does outline the importance of directing a “small percentage (3% to 5%)” (col. 2, lines 47-49) of the optical signal to the light monitoring means by way of beam splitter 125. After careful review of the Applicants disclosure, there is no critically distinguishing filter reflective ratio feature in the Applicants disclosure that exemplifies novelty over prior art disclosure. Therefore producing the same results as the Applicants limitation, therefore the reference of Mao reads on applicants claimed limitation.

Claim 4

Mao discloses wherein the first collimator 120 retains an end of the input fiber 110 and said detecting means uses said part of the input signals reflected by the filter together with said

Art Unit: 2877

second portion of the attenuated signals from the output port to drive the driving device which moves the movable reflector (col. 3, lines 10-27).

It is the position of the Office that even though the reference of Mao does not specifically disclose a second fiber enclosed within the first collimator 110, wherein said second fiber receives a part of the input signals reflected by the filter (beam splitter 125) and transmits said part of the input signals reflected by the filter to the detecting means, it does outline the importance of directing a "small percentage (3% to 5%)" (col. 2, lines 47-49) of the optical signal to the light monitoring means by way of beam splitter 125. After further review of the Applicants disclosure, Examiner has still not found any critically distinguishing feature regarding the use of a second fiber to transmit the filtered signal to the detector in the Applicants disclosure that exemplifies novelty over prior art disclosure. Applicant has not cited any passage from the specification as originally filed that would lead the Examiner to believe that the use of a fiber instead of free space gives the current invention novelty over prior art disclosure. Therefore producing the same results as the Applicants limitation, therefore the reference of Mao reads on applicants claimed limitation. Further, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use a optical fiber instead of free space since the Examiner takes Official notice of the equivalence of a fiber and a free space transmission for their use in the field of optical communications to transmit an optical signal and the selection of any of these known equivalents to a fiber would be within the level of ordinary skill in the art.

Claims 6 & 12

Mao discloses a light monitoring means 130; while Mao is silent as to exactly what type of light monitoring device can be used, it would have been obvious to someone of ordinary skill

Art Unit: 2877

in the art at the time of the claimed invention that a wide variety of light monitoring devices could be used, such as a photodetector or a ccd array, as a means for monitoring the optical signal as it traversed through the optical attenuating device.

Claim 7

Mao in conjunction with Fig. 1, discloses an optical attenuator 100 for attenuating signals in an optical path, comprising an input port for receiving input signals from an input fiber 110 along the optical path and for reflecting part of the input signals to a first detecting means 130, an output port for splitting the attenuated signals into two portions, and for transmitting one portion of the attenuated signals to an output fiber 165, also along the optical path, and for transmitting a second portion of the attenuated signals to a second detecting means 130, a movable reflector (140) for receiving first signals output by the input port and reflecting a portion of said first signals into the output port, said first detecting means 130 being positioned to receive said reflected part of the input signals from the input port, said second detecting means being positioned to receive said second portion of the attenuated signals from the output port, and a driving device (stepper motor) for driving the movable reflector (140 & 145) in response to control signals from said first and said second detecting means (col. 2, line 40-col. 3, line 27). Applicant is particularly pointed to col. 2, lines 56-64, which give support for an output port for splitting the attenuated signals into two portions.

Mao as applied above discloses wherein the input port comprises a reflector for reflecting part of the input signal. Mao discloses the claimed invention except for reflecting means in the input port. It would have been obvious to one having ordinary skill in the art at the time the invention was made to use reflecting means as opposed to a beam splitter since the Examiner

Art Unit: 2877

takes Official notice of the equivalence of a filter and a beam splitter for their use to re-route a percentage of incoming light in the field of optical communications; the selection of any of these known equivalents to a means for reflecting part of the optical signal would be within the level of ordinary skill in the art. Further, Mao discloses directing a “small percentage” (col. 2, lines 47-49) of the optical signal to the light monitoring means by way of beam splitter 125.

Therefore, to a person of ordinary skill in the art, it is obvious that the beam splitter of Mao is performing a filtering operation.

While the Applicants argument that the claimed invention is simpler in structure may be valid, Mao still reads on ALL the claimed limitations as currently drafted. Applicant is reminded that the claim merely states, “An optical attenuator...comprising” and not consisting of, even though there are differences, Mao reads on the claimed limitations.

Claim 9

It is the position of the Office that even though the reference of Mao does not specifically disclose wherein the filter has a 0.5% reflective ratio, it does outline the importance of directing a “small percentage (3% to 5%)” (col. 2, lines 47-49) of the optical signal to the light monitoring means by way of beam splitter 125. After careful review of the Applicants disclosure, there is no critically distinguishing filter reflective ratio feature in the Applicants disclosure that exemplifies novelty over prior art disclosure. Therefore producing the same results as the Applicants limitation, therefore the reference of Mao reads on applicants claimed limitation.

Claim 10

Mao discloses wherein the first collimator 120 retains an end of the input fiber 110.

It is the position of the Office that even though the reference of Mao does not specifically disclose a second fiber enclosed within the first collimator 110, wherein said second fiber receives a part of the input signals reflected by the filter (beam splitter 125) and transmits said part of the input signals reflected by the filter to the detecting means, it does outline the importance of directing a “small percentage (3% to 5%)” (col. 2, lines 47-49) of the optical signal to the light monitoring means by way of beam splitter 125. After further review of the Applicants disclosure, Examiner has still not found any critically distinguishing feature regarding the use of a second fiber to transmit the filtered signal to the detector in the Applicants disclosure that exemplifies novelty over prior art disclosure. Applicant has not cited any passage from the specification as originally filed that would lead the Examiner to believe that the use of a fiber instead of free space gives the current invention novelty over prior art disclosure. Therefore producing the same results as the Applicants limitation, therefore the reference of Mao reads on applicants claimed limitation. Further, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use a optical fiber instead of free space since the Examiner takes Official notice of the equivalence of a fiber and a free space transmission for their use in the field of optical communications to transmit an optical signal and the selection of any of these known equivalents to a fiber would be within the level of ordinary skill in the art.

Claim 11

Mao as applied above further discloses wherein the output port comprises a second collimator (Fig. 1, ref. 150).

Allowable Subject Matter

5. Claim 15 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Juan D Valentin II whose telephone number is (571) 272-2433. The examiner can normally be reached on Mon.-Fri..

Art Unit: 2877

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J Toatley, Jr. can be reached on (571) 272-2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).




Juan D Valentin II

Examiner 2877

JDV

August 25, 2004



GREGORY J. TOATLEY, JR.
PRIMARY EXAMINER / SPE 2877